

VENICUT59



DELTANOCUT®+ KNITTED GLOVE - PU-COATING PALM

Ref. VECUT59



Product specifications

DELTAnocut®+ high performance fibre. Polyurethane coating on palm and fingertips. Gauge 13.

Support: DELTAnocut®+ fibres.

Coating: 100% Polyurethane.

COLOUR

Black

SIZE

07, 08, 09, 10, 11

Product Use - Risks



Cutting / Perforation



Wearing



Construction / Civil engineering



Second work / craftman



Light industry



Services / Logistics

Product's highlights & user's benefits



Polyurethane coating

Very soft and breathable material bringing comfort and dexterity
Good abrasion and tear resistance



Washable

Increased lifespan

DELTAAnocut®+

Excellent cut resistance (level D)
Unparalleled finesse of touch

DELTAAnocut® fibre

Very soft texture for great comfort all day



Cut level 5



Cut level D

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements
5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

2: Resistance to puncture (1 to 4)

D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)





USA STANDARDS



ANSI-ISEA 105:2016 Hand Protection

A4: Resistance to cutting by sharp objects (from A1 to A9)

References

References	Bar code	COLOUR	SIZE		
VECUT59NO07	3295249170813	Black	07	60	12
VECUT59NO08	3295249170820	Black	08	60	12
VECUT59NO09	3295249170837	Black	09	60	12
VECUT59NO10	3295249170844	Black	10	60	12
VECUT59NO11	3295249170851	Black	11	60	12