



cm. 26x160
 inch 10¹/₄x63³/₄"

 cm. 16x160
 inch 6¹/₅x16x63³/₄"





 cm. 30x120
 inch 11¹/₃x16x47¹/₄"

 cm. 20x120
 inch 7⁷/₈x47¹/₄"

 cm. 20x90
 inch 7⁷/₈x35⁷/₁₆"

 cm. 15x90
 inch 5⁷/₈x35⁷/₁₆"

cm. 40x120
 inch 15³/₄x4x47¹/₄"



26x160 - 10¹/₄x63³/₄"
ESP 526R Cinnamon Rett. **03** **1110**

16x160 - 6¹/₅x16x63³/₄"
ESP 516R Cinnamon Rett. **04** **1110**

30x120 - 11¹/₃x16x47¹/₄"
ESP 53RT Cinnamon Rett. **03** **1095**


20x120 - 7⁷/₈x47¹/₄"
ESP 51RT Cinnamon Rett. **04** **1095**

20x90 - 7⁷/₈x35⁷/₁₆"
ESP 52RT Cinnamon Rett. **06** **1055**

15x90 - 5⁷/₈x35⁷/₁₆"
ESP 55RT Cinnamon Rett. **06** **1055**

20x90 - 7⁷/₈x35⁷/₁₆"
ESP 57AS Cinnamon Rett. Antislip **06** **1060**

40x120 - 15³/₄x4x47¹/₄"
ESP 54RT Cinnamon Rettificato 20mm **01** **1150**





30x30 - 11¹/₃x16x11¹/₁₆"
ESP 55K Mos. 5x5 Cinnamon **10** **8115**

30x45 - 11¹/₃x16x17¹/₁₆"
ESP 554K Muretto Cinnamon **04** **8150**

Gradino Elle Rettificato 30x120x4	Angolo DX Rettificato 30x120x4	Angolo SX Rettificato 30x120x4
01 670	01 676	01 676
ESP G51K	ESP G52K	ESP G53K

Battiscopa 7x90	Elemento Elle AS 18x90x4
04 290	02 665
ESP B59K	ESP G59K

* **6** SETTIMANE DI CONSEGNA / DELIVERY WEEKS / WOCHEN LIEFERZEIT / SEMAINES DE LIVRAISON



SPECIAL TRIMS 20 MM

TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining
	R10	A+B	DRY>0.40 WET>0.40	WET≥0.42	< 175 mm ³	≥5	4	5
	R11	A+B+C	DRY>0.40 WET>0.40	WET≥0.42	< 160 mm ³	≥7	5	5
	R11	A+B+C	DRY>0.40 WET>0.40	WET≥0.42	< 130 mm ³	≥8	5	5





cm. 26x160 inch 10¹/₄x63"
cm. 16x160 inch 6⁵/₁₆x63"
cm. 30x120 inch 11¹³/₁₆x47¹/₄"
cm. 20x120 inch 7⁷/₈x47¹/₄"
cm. 20x90 inch 7⁷/₈x35⁷/₁₆"
cm. 15x90 inch 5⁷/₈x35⁷/₁₆"

cm. 40x120 inch 15³/₄x47¹/₄"
cm. 30x120 inch 11¹³/₁₆x47¹/₄"



26x160 - 10¹/₄x63"
ESP 326R Cognac Rett.



16x160 - 6⁵/₁₆x63"
ESP 316R Cognac Rett.



30x120 - 11¹³/₁₆x47¹/₄"
ESP 33RT Cognac Rett.




20x120 - 7⁷/₈x47¹/₄"
ESP 31RT Cognac Rett.



20x90 - 7⁷/₈x35⁷/₁₆"
ESP 32RT Cognac Rett.



15x90 - 5⁷/₈x35⁷/₁₆"
ESP 35RT Cognac Rett.



20x90 - 7⁷/₈x35⁷/₁₆"
ESP 37AS Cognac Rett. Antislip



TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining
NATURAL	R10	A+B	DRY>0.40 WET>0.40	WET≥0.42	< 175 mm ³	≥5	4	5
ANTISLIP	R11	A+B+C	DRY>0.40 WET>0.40	WET≥0.42	< 160 mm ³	≥7	5	5
OUT WALK 20 MM	R11	A+B+C	DRY>0.40 WET>0.40	WET≥0.42	< 130 mm ³	≥8	5	5



30x30 - 11¹³/₁₆x11¹¹/₁₆"
ESP 335K Mos. 5x5 Cognac





30x45 - 11¹³/₁₆x17¹¹/₁₆"
ESP 334K Muretto Cognac

Gradino Elle Rettificato 30x120x4	Angolo DX Rettificato 30x120x4	Angolo SX Rettificato 30x120x4
01 670	01 676	01 676
ESP G31K	ESP G32K	ESP G33K

Battiscopa 7x90	Elemento Elle AS 18x90x4
04 290	02 665
ESP B39K	ESP G39K

* 6 SETTIMANE DI CONSEGNA / DELIVERY WEEKS / WOCHEN LIEFERZEIT / SEMAINES DE LIVRAISON





cm. 26x160 inch 10¹/₄x63³/₄
cm. 16x160 inch 6⁵/₁₆x63³/₄
cm. 30x120 inch 11¹³/₁₆x47¹/₄
cm. 20x120 inch 7⁷/₈x47¹/₄
cm. 20x90 inch 7⁷/₈x35⁷/₁₆
cm. 15x90 inch 5⁷/₈x35⁷/₁₆

cm. 40x120 inch 15³/₄x47¹/₄




26x160 - 10¹/₄x63³/₄ **03**
ESP 626R Tobacco Rett. **1110**

16x160 - 6⁵/₁₆x63³/₄ **04**
ESP 616R Tobacco Rett. **1110**



30x120 - 11¹³/₁₆x47¹/₄ **03**
ESP 63RT Tobacco Rett. **1095**




20x120 - 7⁷/₈x47¹/₄ **04**
ESP 61RT Tobacco Rett. **1095**




20x90 - 7⁷/₈x35⁷/₁₆ **06**
ESP 62RT Tobacco Rett. **1055**



15x90 - 5⁷/₈x35⁷/₁₆ **06**
ESP 65RT Tobacco Rett. **1055**



20x90 - 7⁷/₈x35⁷/₁₆ **06**
ESP 67AS Tobacco Rett. Antislip **1060**



40x120 - 15³/₄x47¹/₄ **01**
ESP 64RT Tobacco Rettificato 20mm **1150**



TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining
NATURAL	R10	A+B	DRY>0.40 WET>0.40	WET≥0.42	< 175 mm ³	≥5	4	5
ANTISLIP	R11	A+B+C	DRY>0.40 WET>0.40	WET≥0.42	< 160 mm ³	≥7	5	5
OUT WALK 20 MM	R11	A+B+C	DRY>0.40 WET>0.40	WET≥0.42	< 130 mm ³	≥8	5	5



30x30 - 11¹³/₁₆x11¹¹/₁₆ **10**
ESP 665K Mos. 5x5 Tobacco **8115**




30x45 - 11¹³/₁₆x17¹¹/₁₆ **04**
ESP 664K Muretto Tobacco **8150**

Gradino Elle Rettificato 30x120x4	Angolo DX Rettificato 30x120x4	Angolo SX Rettificato 30x120x4
01 670	01 676	01 676
ESP G61K	ESP G62K	ESP G63K

Battiscopa 7x90	Elemento Elle AS 18x90x4
04 290	02 665
ESP B69K	ESP G69K



* **6** SETTIMANE DI CONSEGNA / DELIVERY WEEKS / WOCHEN LIEFERZEIT / SEMAINES DE LIVRAISON





cm. 26x160 inch 10¹/₄x63³/₄"
cm. 16x160 inch 6⁵/₈x16x63³/₄"
cm. 30x120 inch 11¹³/₁₆x47⁷/₁₆"
cm. 20x120 inch 7⁷/₈x47⁷/₁₆"
cm. 20x90 inch 7⁷/₈x35⁷/₁₆"
cm. 15x90 inch 5⁷/₈x35⁷/₁₆"



cm. 40x120 inch 15³/₄x47⁷/₁₆"
cm. 30x120 inch 11¹³/₁₆x47⁷/₁₆"



Gradino Elle Rettificato 30x120x4	Angolo DX Rettificato 30x120x4	Angolo SX Rettificato 30x120x4
01 670	01 676	01 676
ESP G21K	ESP G22K	ESP G23K

Battiscopa 7x90	Elemento Elle AS 18x90x4
04 290	02 665
ESP B29K	ESP G29K

* **6** SETTIMANE DI CONSEGNA / DELIVERY WEEKS / WOCHEN LIEFERZEIT / SEMAINES DE LIVRAISON



SPECIAL TRIMS 20 MM

TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining
 NATURAL	R10	A+B	DRY>0.40 WET>0.40	WET≥0.42	< 175 mm ³	≥5	4	5
 ANTISLIP	R11	A+B+C	DRY>0.40 WET>0.40	WET≥0.42	< 160 mm ³	≥7	5	5
 20 MM	R11	A+B+C	DRY>0.40 WET>0.40	WET≥0.42	< 130 mm ³	≥8	5	5





cm. 26x160
 inch 10¹/₄x63³/₄"

 cm. 16x160
 inch 6¹/₅x16x63³/₄"

 cm. 30x120
 inch 11¹/₃x16x47¹/₄"

 cm. 20x120
 inch 7⁷/₈x47¹/₄"

 cm. 20x90
 inch 7⁷/₈x35⁷/₁₆"

 cm. 15x90
 inch 5⁷/₈x35⁷/₁₆"

cm. 40x120
 inch 15³/₄x4x47¹/₄"



26x160 - 10¹/₄x63³/₄"
ESP 426R Bamboo Rett.



16x160 - 6¹/₅x16x63³/₄"
ESP 416R Bamboo Rett.



30x120 - 11¹/₃x16x47¹/₄"
ESP 63RT Bamboo Rett.



20x120 - 7⁷/₈x47¹/₄"
ESP 41RT Bamboo Rett.



20x90 - 7⁷/₈x35⁷/₁₆"
ESP 42RT Bamboo Rett.




15x90 - 5⁷/₈x35⁷/₁₆"
ESP 45RT Bamboo Rett.



40x120 - 15³/₄x4x47¹/₄"
ESP 44RT Bamboo Rettificato 20mm

TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining
N	R10	A+B	DRY>0.40 WET>0.40	WET≥0.42	< 175 mm ³	≥5	4	5
NATURAL								
OUT WALK	R11	A+B+C	DRY>0.40 WET>0.40	WET≥0.42	< 130 mm ³	≥8	5	5
20 MM								




30x30 - 11¹/₃x16x11¹/₁₆"
ESP 445K Mos. 5x5 Bamboo



30x45 - 11¹/₃x16x17¹/₁₆"
ESP 444K Muretto Bamboo

Gradino Elle Rettificato 30x120x4	Angolo DX Rettificato 30x120x4	Angolo SX Rettificato 30x120x4	Battiscopa 7x90
ESP G41K	ESP G42K	ESP G43K	ESP B49K

6 SETTIMANE DI CONSEGNA / DELIVERY WEEKS / WOCHE LIEFERZEIT / SEMAINES DE LIVRAISON



SPECIAL TRIMS 20 MM



cm. 26x160 **cm. 16x160** **cm. 30x120** **cm. 20x120** **cm. 20x90** **cm. 15x90**
 inch 10¹/₄x63" inch 6⁵/₁₆x63" inch 11¹³/₁₆x47¹/₄" inch 7⁷/₈x47¹/₄" inch 7⁷/₈x35⁷/₁₆" inch 5⁷/₈x35⁷/₁₆"

TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining
N NATURAL	R10	A+B	DRY>0.40 WET>0.40	WET≥0.42	< 175 mm ³	≥5	4	5



26x160 - 10¹/₄x63" **03** **1110**
ESP 126R Rice Rett.



16x160 - 6⁵/₁₆x63" **04**
ESP 116R Rice Rett.



30x120 - 11¹³/₁₆x47¹/₄" **03** **1095**
ESP 13RT Rice Rett.



20x120 - 7⁷/₈x47¹/₄" **04** **1095**
ESP 11RT Rice Rett.



20x90 - 7⁷/₈x35⁷/₁₆" **06** **1055**
ESP 12RT Rice Rett.



15x90 - 5⁷/₈x35⁷/₁₆" **06** **1055**
ESP 15RT Rice Rett.



30x30 - 11¹³/₁₆x11¹/₁₆" **10** **8115**
ESP 115K Mos. 5x5 Rice



30x45 - 11¹³/₁₆x17¹/₁₆" **04** **8120**
ESP 114K Muretto Rice

Gradino Elle Rettificato 30x120x4	Angolo DX Rettificato 30x120x4	Angolo SX Rettificato 30x120x4	Battiscopa 7x90
01 670	01 676	01 676	04 290
ESP G11K	ESP G12K	ESP G13K	ESP B19K

* **6** SETTIMANE DI CONSEGNA /
 DELIVERY WEEKS /
 WOCHEN LIEFERZEIT /
 SEMAINES DE LIVRAISON